




High quality products for shipbuilding and suppliers

Get to know our selection of premium solutions – the perfect choice
for marine related applications



Optimal solutions for all maintenance challenges in the marine sector!



KENT is a distributor of special chemicals for applications where **high performance and product dependability** are core to our philosophy and the only choice for our customers.

Our products have been used for many years in the marine environment and this is a testament to the durability and reliability of the range. **Many of our products have withstood the demanding tests of yacht racing**, survived the harsh environment endured by deep sea fishing vessels, met the strict standards of modern ocean going cruise ships, and are the **brand of choice for many well-known international yacht builders**.

KENT offers everything you need in maintenance chemicals – adhesives, sealants, greases, lubricants, cleaners and tools **to enhance your workflows and provide better results**.

With employee and environmental welfare a major consideration, many products are VOC free, and our MS-polymer adhesives and sealants are isocyanate-free and so are completely safe for users to apply without the need for special breathing apparatus or fume extraction facilities.

KENT customer service is based on one-to-one relationships where our activity is focussed on meeting your specific and individual needs. **All of our customers enjoy the benefits of on-site application demonstrations and support to ensure that product effectiveness is optimised.**

Table of content

Bonding & Sealing	4
Adhesive Tapes	8
Threadlocking	10
Exterior Cleaning	12
Interior Cleaning	14
Additives	16
Lubricants	22
Special Primers	24
Special Repairs	26
Tools	28
Health & Safety	30

Certified quality you can trust in



NSF International is an independent, non-profit, conformity assessment organisation for products and systems related to public health and the environment.



KENT Fuel Guard 2 additive: a performed emission test according to the test criteria of 70/220/EEC (as amended by 2003/76/EC) showed a decrease of the exhaust emissions (CO, HC) by application of the recommended dose.



Lloyd's Register is a global independent services company. Their services include auditing, certification and training in management systems according to international standards and guidelines.



DNV GL is a global quality assurance and risk management company providing classification, technical assurance, software and independent expert advisory services to the maritime, oil & gas, power and renewables industries.



Part No. for 290 ml cartridge: 34452 (black), 34453 (brown), 34454 (white), 34456 (grey)
 Part No. for 600 ml sausage: 86526 (black), 86527 (white), 85465 (silver)

ROTABOND 2000

A universal and flexible MS-polymer adhesive sealant

BENEFITS

- ✓ Reliable adhesive and sealant for many years
- ✓ Primerless – simple and time-saving surface preparation
- ✓ No solvents or isocyanates – no toxins and safe to use
- ✓ Long resistance against fresh and salt water
- ✓ Can be applied on wet surfaces
- ✓ Can be over painted after skin forming
- ✓ Shelf life 10 / 18 months (opened / unopened)

FURTHER ADVANTAGES

- ✓ A multifunctional sealant and bonding, which is the best of both worlds – bonds different materials together and can be welded through
- ✓ Bonding of glass and polypropylene in window frames, bumpers and teak deck repairs – it serves as a flexible seal
- ✓ Sealing teak decks, gluing stainless steel and wooden slats as well as aluminium floor plates for wet cells
- ✓ Permanently flexible and UV resistant



Get to know our range of sealants and adhesives for the marine industry, including a special range of isocyanate and solvent free adhesives fitting for many types of nautical applications.

We provide high quality products for **direct glazing, teak decking, interior and exterior sealing and bonding as well as for flooring** used in the manufacturing and repair of leisure boats, commercial vessels and offshore platforms.

These premium bonding and sealing solutions perfectly fit any marine related application: **resistance to water, sun, cleaning chemicals and wear.** All in order to meet the requirements of both ship owners and regulatory bodies, of course.



Tip!

As regarding to all of our MS-polymers, a primer is not needed in general, which ensures faster workflows, less costs and reliable results. In combination with the certificates, it is no wonder that **Rotabond 2000** is one of our bestsellers worldwide.



Part No. 84501 – 290 ml cartridge (white)
 Part No. 84502 – 290 ml cartridge (black)
 Part No. 84535 – 600 ml sausage (black)

ASSEMBLY ADHESIVE

Enables to process the adhesive for a prolonged time not having to fear premature curing and is especially suitable for bonding and sealing tasks in marine applications with tough weather conditions

BENEFITS

- ✓ High quality marine product – long resistance against fresh and saltwater
- ✓ Long open time – ideal to assemble large components
- ✓ No primer required
- ✓ Solvent and isocyanate free – no toxins and safe to use
- ✓ Specially developed for bonding big surfaces like wooden decks, teak decks, wind-screens on boats and big plates
- ✓ Also adheres to GDP, aluminium and steel

Part No. 86285 – 600 ml sausage (black)
 Part No. 86451 – 600 ml sausage (grey)

DECK CAULK

A one component MS-polymer sealant especially designed for the watertight sealing of seams in teak decks and other decking materials

BENEFITS

- ✓ Specially developed for inserting and sealing teak deck seams and gaps
- ✓ Remains flexible, UV resistant and does not discolour or age
- ✓ High quality marine product – long resistance against fresh and saltwater

Part No. 34337 – 200 ml pressure pack with dosing valve (black)
 Part No. 34339 – 200 ml pressure pack with dosing lever (black)
 Part No. 84179 – 100 ml pressure pack with dosing valve (black)

SILI GASKET 2

Marine cooling systems need to be sealed appropriately to carry the cooling water without leakages

BENEFITS

- ✓ Oil and grease-resistant not affecting sensors, lambda sensor and catalytic converters
- ✓ Designed for applications in the engine room, flanges sealing, porthole and flood doors – general everywhere, where contact with water, diesel and oil occurs
- ✓ Ideal seal and gasket maker for quick effective repair – does not peel off like silicones
- ✓ Repair of transit rubbers in deck and mast foot, sealing rubbers of deck hatches, windows and navigation lights
- ✓ Can be used to solve pump problems like the impeller
- ✓ High temperature resistance from -55 °C up to 260 °C



Part No. 85042 – 250 ml cartridge (white)
 Part No. 85043 – 50 ml cartridge (beige)
 Part No. 86567 – 50 ml cartridge (black)

RAPID BOND & RAPID BOND BLACK

Fast stainless steel and aluminium gluings for claddings and kitchen area

BENEFITS

- ✓ Excellent resistance to hydrocarbons, acids and salt – wide range of application possibilities in harsh environments
- ✓ Structural bonding of most of surfaces
- ✓ One of our strongest bondings, has to be applied thin for maximal performance
- ✓ High tensile force up to 300 kg/cm²
- ✓ Fits in common sealer guns



Part No. 86656 – 250 ml cartridge (grey)
 Part No. 85249 – 6 mixing nozzles

ROTABOND 2K

Especially suitable for filling large gaps up to 40 mm and does not require moisture because of 2K application

BENEFITS

- ✓ 1:1 mixing ratio in 2-part universal cartridge with static mixer tip – easy handling with standard hand gun
- ✓ Excellent adhesion properties – on metal, glass, plastic, paint, primed surface, wood, concrete and mineral based surfaces
- ✓ Fast curing – less than 4 hours



Tip!

Using our MS-polymers, a primer is not needed in general. But there might be some areas where you just need that extra feature of a primer or it is simply wanted by the working process - even for MS-polymers. It can be very important when sealing teak decks (e.g. against teak oils). Our **Primer DC** is especially developed for our MS-polymers supporting the application on very porous and difficult surfaces.



Part No. 86532 – 800 g bottle

PRIMER DC

Pretreatment primer for improving adhesion of MS-polymer based adhesives and sealants on porous surfaces

BENEFITS

- ✓ Used for pretreatment of mineral substrates, such as brickwork, concrete and lightweight concrete and wooden substrates (such as seams in teakwood ship decks)
- ✓ Seals dust particles on porous substrates – for a dust-free surface



Part No. 86665 – Xtreme Force Tape 19 mm x 10 m roll
 Part No. 86578 – High Strength Tape Clear (6 mm x 5 m roll, many other sizes available)
 Part No. 34000 – High Strength Tape (6 mm x 15 m roll, many other sizes available)

XTREME FORCE TAPE HIGH STRENGTH TAPE CLEAR HIGH STRENGTH TAPE

Premium double-sided tapes with extreme high strength, transparent applications and standard use for signs on board, wooden strips, panels and mirrors in cabin areas

BENEFITS

- ✓ **Xtreme Force Tape** – unique and UV-resistant double-sided tape with extreme adhesion – bonds even on difficult plastics like polypropylene and polyethylene
- ✓ **High Strength Tape Clear** – reinforced and high tack acrylic double sided tape providing a superior bond with high quality and transparency
- ✓ **High Strength Tape** – strong double-sided tape for every day applications with high quality

Part No. 84592 – 50 mm x 50 m roll (Waterproof Tape - black)
 Part No. 86144 – 50 mm x 50 m roll (Waterproof Tape - silver)
 Part No. 86680 – 50 mm x 50 m roll (Multi Tape EVO - white)



MULTI TAPE EVO & WATERPROOF TAPE

Special and durable tapes, tearable, waterproof, overpaintable, very strong adhesion and ideal to protect surfaces against sanding and sealing or repairing

BENEFITS

- ✓ **Multi Tape EVO:** high quality tape specially suitable for long-term outdoor applications
- ✓ **Waterproof Tape:** standard and strong tape developed for short-term or indoor applications
- ✓ High performances – excellent tensile strength, tack and adhesion properties
- ✓ Can also be used for quick temporary repairs of leaks in low pressure water and air lines
- ✓ To do immediate fixing and repairs – particularly for sailors
- ✓ Applicable to PVC, i.e. tarpaulins can be bonded

Part No. 86386 – 38 mm x 5 m



MULTI SEAL TAPE

Instant leak sealing of trailer roof seams, rain gutters, flashing and vents, metal enclosures and skylights

BENEFITS

- ✓ Waterproof and UV resistant
- ✓ To fix holes and leaks temporarily in many surfaces for watertanks, rubberboats etc.
- ✓ Stays flexible to compensate for vibration and thermal expansion and contraction

Adhesive tapes are important in many different application areas. Our double-sided tapes are the perfect alternative for signs, wooden strips, orifices, portholes, mirrors and many more. **Another great feature is the speed repair and sealing opportunity – also isolation is possible.**

One further application that often gets forgotten is the „third hand“ method. **Using our other adhesive cartridges or sausages these tapes provide great help when there are not enough hands.**

Threadlocking

Threadlocking



Part No. 86539 – 50 ml bottle

Part No. 86540 – 50 ml bottle

Part No. 86541 – 50 ml bottle

Part No. 86542 – 50 ml bottle

NUTLOCK

STUDLOCK

POWERLOCK

PRELOCK

High quality range of anaerobic adhesives for different strengths to ensure vibrating resistant fastenings ideal to seal bolts and nuts, pipes or even gaskets

BENEFITS

- ✓ **Nutlock** – blue medium-strength threadlocker that can be disassembled with hand tools
- ✓ **Studlock** – red high-strength threadlocker designed for permanent locking of threaded fasteners
- ✓ **Powerlock** – green very high-strength retaining compound designed for retention of parts with a clearance or interference fit
- ✓ **Prelock** – penetrates threads by capillary action ideally for pre-assembled assemblies



Part No. 86543 – 50 ml bottle

Part No. 86544 – 50 ml bottle

Part No. 86553 – 50 ml bottle

PIPE SEAL

ALL IN ONE

RAPID GASKET

Anaerobic compounds specially developed for the sealing of close fitting gaskets and flange assemblies

BENEFITS

- ✓ **Pipe Seal** – yellow medium-strength thread sealant designed for locking and sealing metal pipes and fittings – instant low pressure seal up to 5 bars
- ✓ **All in One** – high-strength anaerobic compound for retaining, thread locking, thread sealing, flange sealing and gap filling
- ✓ **Rapid Gasket** – medium strength thread sealant for locking and sealing metal pipes and fittings also providing excellent gap filling properties

Anaerobic adhesives are single component engineering adhesives that cure in the absence of air and in contact with metal parts. These products are frequently used in assembly by original equipment manufacturers, maintenance departments, shut-down prevention and upgrade projects and are well known in the marine sector. They are used for thread-locking and sealing, pipe and hydraulic joint sealing, retaining of cylindrical parts and gasketing.

BENEFITS OF KENT ANAEROBIC ADHESIVES:

- ✓ Resist to shocks and vibrations
- ✓ Seal against leakage and corrosion
- ✓ Can be used on most sizes of fasteners – reduce inventory costs
- ✓ High chemical and temperature resistance
- ✓ Increased oil tolerance – locks assemblies even when not completely clean
- ✓ Primerless on active and passive metals – saves time in the maintenance and repair operation
- ✓ Non-hazardous – safe for the user and the environment
- ✓ NSF P1 registered – for use in food-processing environment

For better fitting we recommend our Anaerobic Activator (86545) to speed up curing time!



Since maritime conditions are very harsh, high quality cleaning agents for exterior applications need to have certain features. But additionally the building and repair process needs special cleaning solutions that keep the workflows in on time and optimised.

Get to know our highly effective products in the course of the removal of oil, grease, silicone, wax or resin for completely clean surfaces in the course of teak decks, limescale and preliminary painting work.



Part No. 84303 - Teak Deck Cleaner - 1 litre bottle
Part No. 85305 - Teak Deck Restorer - 1 litre bottle

TEAK DECK CLEANER & TEAK DECK RESTORER

Specially designed cleaner and conditioner to clean teak and teak decks and giving back the typical "teak colour"

BENEFITS

- ✔ **Teak Deck Cleaner** – specially designed to remove oil stains, grey iron contamination, fish blood, rust stains, bird droppings, drink and food stains and the removal of moss and algae resins
- ✔ **Teak Deck Restorer** – specially developed conditioner after the cleaning of teak wood and teak decks and giving back the typical "teak colour"



Part No. 86485 – 500 ml aerosol, Part No. 85709 – 1 litre
Part No. 86613 – 25 litre, Part No. 34415 – 200 litre barrel

SOFT SURFACE CLEANER

Dissolves oil, dirt and grease without attacking sensitive surfaces on metal, painted surfaces and to remove adhesive residues

BENEFITS

- ✔ Powerful and fast-acting for removing light soiling not attacking varnished substrates and coastal materials
- ✔ Cleans surfaces thoroughly – removes grease, glue, flux residues, resins, nicotine and cured silicone sealant
- ✔ NSF-K1 listed
- ✔ Three products in one - degreaser, cleaner and adhesive remover



Part No. 86213 – 1l bottle
Part No. 86214 – 5l canister

PANEL DEGREASER

A high quality water-based degreaser for cleaning glass as well as to prepare surfaces prior to painting

BENEFITS

- ✔ Especially for sensitive surfaces such as plexiglass and lacquered surfaces
- ✔ Also suitable for cleaning during repairing and sanding processes



Tip!

With water all around, limescale and other contaminations are always an issue. Another great universal cleaner is our **Acrysol (83930, 83925, 83940, 83945)**.



Interior cleaning is a different story from external. **In order to get the maximum out of the workflows, repairs and maintenance, we recommend our special interior cleaning agents.** If you need cleaners for certain application areas like furniture, mirrors, carpets, floors or for certain substrates like wood, plastic, fabric, aluminium, glass, plexiglass etc. KENT has the answer.



Part No. 84909 – 750 ml aerosol
Part No. 85964 – 500 ml aerosol

NEW ALL PUROPOSE FOAM CLEANER

Universal cleaning foam for soft and hard surfaces that cleans quickly and thoroughly

BENEFITS

- ✓ Is gentle on the material and also the skin of the user
- ✓ Provides crystal clarity to glass
- ✓ Restores interior furnishings
- ✓ Leaves a fresh, clean smell



Part No. 86260 – 1 litre bottle + trigger sprayer
Part No. 80261 – 5 litre jerry can

MULTI CLEANER

A multi-purpose, water based cleaner for fabric, metal, plastics, vinyl, plastic and hard rubber surfaces leaving a new natural finish

BENEFITS

- ✓ Extreme strong alcalic cleaner, ideal for textile, tarpaulins and synthetic cushions, vinyl interiors and fenders on boats
- ✓ Ideal for the reconditioning of fabrics, headlining, plastics, rubber mats and all hard surfaces
- ✓ Can be diluted with water for lightly soiled surfaces



Part No. 34221 – 1 litre bottle + trigger sprayer
Part No. 34222 – 5 litre jerry can

ROTACLEAN

Cleaner that can be used on a wide variety of surfaces ranging from fabrics to plastic and quickly penetrates and lifts away grime and dirt

BENEFITS

- ✓ Suitable for a wide range of surfaces such as most plastics, wood, metals, carpets, cloth, varnished and painted surfaces
- ✓ Can be diluted up to 50% with water for lightly soiled surfaces
- ✓ Removal of grease, nicotine, finger prints and adhesive residues



Part No. 83970 – 250 ml bottle
 Part No. 83975 – 5 litre can
 Part No. 83977 – 200 litre drum

FUEL GUARD 2

A unique, powerful and effective cleaner for the care and maintenance of the fuel system and other engine components on petrol, diesel and hybrid engines, providing lubrication and anti-corrosion protection

YOU BENEFIT FROM

- ✓ The ability to effectively remove carbon and ash deposits and disperse them through the system during combustion
- ✓ Provides lubricity, anti-corrosion, anti-oxidant and anti-wear features
- ✓ The removal of water contamination from the system to avoid corrosion and micro organism growth
- ✓ Effective reduction of emission levels, confirmed and certificated by TÜV THÜRINGEN/Germany



The marine industry is constantly facing new challenges. With the emergence of stricter emission regulations, lower-sulphur fuels have become a significant part of the marine fuel market. More complex engine designs are being introduced that deliver power at reduced emissions. Slow steaming has become an accepted practice to reduce both emissions and fuel consumption. **For the marine industry, being able to rely on additives is now more important than ever.**

The versatile use of generators in the marine sector demands everything from the additive performance and lubrication. Whether for seasonal continuous operation or extended downtimes in winter. Our products are suitable for **preventive** use and **disinfection** of contaminated tank systems on boats and in storage tanks.

With **Fuel Guard 2** for example, you get a **unique, powerful and effective cleaner for the care and maintenance of the fuel system** and other engine components providing **lubrication** and anti-corrosion protection. It is engine-care in a bottle.


ADVANTAGES ESPECIALLY FOR MARINE

- ✓ Very suitable for stabilizing fuels during the winter period (when engine does not run for a long time)
- ✓ Ideal to eliminate water contamination in fuel tanks of boats, to prevent fuel souring and to ensure lubricated and cleaned injectors

HOW IT WORKS IN GENERAL

- ✓ For use in petrol, diesel and hybrid engines – reduces inventory
- ✓ Safe on catalytic converters, diesel particulate filters and compatible with all HDI engines – no comebacks
- ✓ Lubricates fuel components – extends pump & injector life
- ✓ Disperses water into fuel – avoids corrosion, microbial and fungal contamination
- ✓ Ashless dispersant – will not scour or damage engine parts, reduces deposits on intake valves and fuel injection ports
- ✓ Contains anti oxidants – reduces build up of lacquers, tars and gums

Special additives for for fuel enhancement



Part No. 86100 – 250 ml bottle
Part No. 86101 – 5 litre tub


FLEET TREAT 950

A liquid treatment for water and organic contaminated fuel, formulated for all fuel types and particularly important for high ethanol fuels

BENEFITS

- ✓ Absorbs and suspends water, dirt, gums, residues etc. in fuel – destroys the source of contamination
- ✓ Removes source of corrosion – helps to protect the fuel system against corrosion
- ✓ Burns off with minimal residue – no impact on fuel performance
- ✓ Cleans valve and injectors – improves engine efficiency
- ✓ Does not contain kerosene or diesel – no excise implications
- ✓ Will not damage catalytic converters – compatible with diesel & petrol engines

Quickly and effectively absorbs water into the body of the fuel



Part No. 86594 – 1 litre bottle
Part No. 86595 – 5 litre canister


DIESEL ANTI-WAX 2

Diesel Anti-Wax 2 is a multi-functional additive for the treatment of diesel fuels that provides special treatment

BENEFITS

- ✓ Contains polymer based cold flow improvers – prevents diesel 'waxing' at low temperatures, down to -28°C
- ✓ Disperses and emulsifies water contamination and deposits – protects storage and fuel tanks against corrosion
- ✓ Burns off with minimal residue – very low ash deposits
- ✓ Cleans valve and injectors – improves engine efficiency
- ✓ Contains lubricity additives and anti-oxidants – improves fuel stability

Cleaning agents for engine and cooling systems



The cooling system is an extremely important part of the engine assembly. A correct working temperature contributes to a longer operational lifespan of the engine and improved fuel economy. With a correctly installed cooling system, overheating of the engine, unnecessary stoppages and expensive repairs due to engine failure, can be avoided. **It can be differentiated between two types of cooling systems:**

1. Direct cooling with sea water, where sea water is directly pumped into the engine's cooling system and subsequently discharged via the exhaust system (wet exhaust systems) or via a separate discharge point for cooling water (for dry exhaust systems).

2. Indirect cooling with fresh water, where the engine has its own closed loop cooling system similar to that of a car. The temperature of the engine coolant is reduced by being passed through a heat exchanger which is itself cooled by a supply of continuously pumped sea water. **The sea water is discharged either via the exhaust, when used with a wet exhaust system, or via a separate outlet, when used with a dry exhaust system.**



Part No. 86119 – 250 ml bottle

ENGINE FLUSH

A blend of highly refined mineral oils, lubricating additives, dispersants, detergents, vegetable esters and emulsifiers

BENEFITS

- ✓ Maintains engine oil viscosity – no reduction in oil film strength and lubrication
- ✓ Absorbs water contamination in the lubrication system – reduces risk of corrosion
- ✓ Free from harsh solvents – will not damage engine components
- ✓ Contains effective sludge and carbon dispersant additives – frees sticking piston rings & improves compressions
- ✓ Contains anti-wear additives – protects engine components during cleaning
- ✓ High flash point – not classified as flammable, easier transport and storage




Part No. 84667 – 250 ml bottle

RADIATOR FLUSH

A blend of highly effective chemicals for the removal of oxidation and corrosion from within the cooling system

BENEFITS

- ✓ Suitable for use in all cooling systems – saves working time during the cleaning process
- ✓ Fast acting – improves cooling system efficiency
- ✓ Contains powerful additives – biodegradable in low concentrations
- ✓ Cleans entire cooling system in one application – reduces risk of overheating





There are hardly any places where man and machine are exposed to such harsh conditions as on board ships. Cold, heat, rain, wind, salt water, high mechanical stress, corrosion: **this is where the real test happens** and the difference between conventional lubricants and speciality lubricants is clearly evident.

Reliability is the be-all and end-all, especially on water. **We help to ensure that your equipment functions and remains as powerful as it should over the long term.** With products perfectly suitable for maritime needs. With water all around, corrosion protection, deblocking and rust penetration are the main applications. Prop shafts, anchor chains, or simply screws are the things wanting to be protected. **By choosing the right lubricant, you ensure long relubrication intervals and trouble-free operation.**

Since things are a little bigger and heavier when it comes to boats, yachts etc. the performances of lubricants need to meet the high requirements – one of our special high performance greases is **Blue Grease**.

Part No. 34946 – 400 ml aerosol
 Part No. 34949 – 400 g cartridge
 Part No. 34961 – 1 litre tin
 Part No. 34962 – 5 litre tin

BLUE GREASE

A high temperature, waterproof multipurpose calcium grease

BENEFITS

- ✓ Pressure resistant and waterproof grease for heavy duty applications like anchor chains, conductors and hinges in contact with (sea)water
- ✓ Suitable as lubricating grease in «grease jars» and bearing grease for bearings with low circumferential speeds
- ✓ Perfect as propeller shaft grease in combination with other gasket cord rudder shaft bearings and folding screw mechanism
- ✓ Contains rust and corrosion inhibitors
- ✓ Excellent temperature resistance - works in extreme operating conditions
- ✓ Excellent adhesion to metal substrates - stays where it is applied
- ✓ Good compatibility with other greases - less chance of cross contamination problems



Part No. 83726 – 400 ml aerosol

RUSTY PENETRANT

A fast working multipurpose rust penetrant with graphite particles

BENEFITS

- ✓ For loosening metal and other objects that have been damaged by rust and corrosion
- ✓ Freeing-off exhaust nuts, manifold nuts, suspension components and any other components where moisture, water and heat have seized the nut or bolt
- ✓ Contains graphite – leaves a lubricating film to reduce chances of shearing bolts



Tip!

If you would like to have a rust penetrating product without graphite, we recommend our **Rusty Clear (34605)** or **Rusty Shock Spray (84599)** specially to support the removal of heavily rusty screws and bolts.



Part No. 86801 – 400 ml aerosol (black)
 Part No. 86802 – 400 ml aerosol (grey)
 Part No. 86803 – 400 ml aerosol (white)

ULTRAFILL 3

New generation of 1K aerosol primer fillers with improved paint adhesion and no pre-treatment

BENEFITS

- ✔ Improved adhesion capabilities on every surface – even on problematic PP without primer
- ✔ Increased paint viscosity and reduced solvent thinner improves film build and laydown - fills fast, saves material and time
- ✔ New developed “high dome” valve reduces impingement on the valve cup and therefore reduces the chance of drips for a better and more convenient application
- ✔ Very flexible - flexes with plastic & metal components



Part No. 86183 - 500 ml aerosol

CONSTRUCTION PRIMER

A 1K aerosol air drying primer, with a smooth matt finish formulated to have excellent anti-corrosion and adhesion properties

BENEFITS

- ✔ Excellent adhesion and salt spray resistance – durable and weather resistant
- ✔ Free of heavy metals – no high toxicity elements and better for the environment
- ✔ Flexible with high mechanical strength – provides strong coat that can be used on plastic surfaces, which have some flex



Part No. 86375 – 500 ml aerosol

EPOXY PRIMER

All purpose primer with excellent adhesion. Prevents corrosion from aluminium, anodised aluminium, sheet steel & zinc coated steel

BENEFITS

- ✔ Excellent adhesion and protection – does not run and prevents corrosion
- ✔ Quick drying time – overpaintable after 12 - 15 minutes (at 20 °C)
- ✔ Long storage life – 10 years shelf life (at 12 - 25 °C, max 60% humidity)



Part No. 50190 - 500 ml aerosol

WELDPRIME

Ideal for priming seams prior to spot or MIG welding, providing a rust preventative coating

BENEFITS

- ✔ Excellent adhesion to intermediate and top coats – forms strong corrosion barrier on bare metallic surfaces
- ✔ One part product – easy spray application
- ✔ Can be overpainted with most known standard paints – no come backs



Welding and working with any kind of heat can lead to damaging the GPR/GRFP hull of boats, yachts etc. Repairing is as important as protecting the surrounding areas from spatters and sparks. Another crucial area is repairing electrical areas.



Many products and sizes available – ask us

CERTANIUM

Certanium is our high quality range of products for general welding applications, including a low temperature aluminium welding system

BENEFITS

- ✓ **Certanium 707 SP / 707T:** Universal electrode for welding all types of steel
- ✓ **Certanium 788:** Very low carbon maintenance electrode and welding of stainless steel
- ✓ **Certanium 608SL:** Aluminum alloy can be used in all positions for welding and repairing of all grades of weldable aluminium



Part No. 85840 – 400 ml aerosol

ANTI SPATTER SPRAY

A unique water based formulation designed to prevent welding spatter from MIG, ARC or TIG welding adhering to either work pieces or welding equipment

BENEFITS

- ✓ Protecting for heat welding or grinding
- ✓ To protect the torch of the welding machine and against spatters
- ✓ After welding, the film can be wiped away very easily and leaves no residues – post-welding applications (e.g. painting) can then be carried out without interference



Part No. 84145 – 907 ml bottle + trigger sprayer

HEAT SHIELD GEL

Waterbased gel to protect surfaces from welding heat of nearby areas like rubber, glass etc.

BENEFITS

- ✓ Will prevent or reduce heat distortion of materials such as metal
- ✓ Protects coated surfaces and sensitive materials from heat or flame damage
- ✓ Non-toxic, non-corrosive and biodegradable

Many products and sizes available – ask us



FLOW FORM & FLOW FORM CLEAR

High performance, heavy duty, semi rigid heat shrink tubing which shrinks when heated to provide a seal for an electrical connection and can be used as additional cable protection against abrasion

BENEFITS

- ✓ Available in black and clear with a 3:1 shrink ratio
- ✓ Shrinks at a lower temperature compared to other heat shrink tubing
- ✓ Perfect watertight electronic and electrical connection which significantly reduces the risk of oxidation and water and moisture damage
- ✓ Very high insulating capacity, very strong – double layer makes connections waterproof



Tip!

Solder Splice (34063 – small, 34064 – medium, 34059 – large) to connect wires without soldering. The splices are soldering and isolating in one handling and can easily used with a general zipper that is ideal for quick repair of boat electricity or boat lights



Our high quality guns and tools can make your life easier. Easing aerosol applications with the unique **Aero Grip (86690)**, sealing joints with the **Pro Joint Liner (86609)** or using a gun for our adhesives and sealants. Just get whatever suits your needs.



Part No. 86690 – grip

AERO GRIP

An ergonomic aerosol spray handle to increase work convenience



Part No. 86609 – spatula set

PRO JOINT LINER

A set of four spatulas to create 16 sealant joint designs without masking



Part No. 86366 – gun for sausages
Part No. 86350 – gun for cartridges

BATTERY CAULKING GUN

Powerful gun with a 10.8V Li-Ion battery



Part No. 83538 – gun for sausages and cartridges

RATCHET HAND GUN

A 26/1 ratio, dual and single component applicator gun



Part No. 86697 – gun for sausages

MANUAL GUN

Handgun for sausages



Part No. 34775 – gun for sausages and cartridges

HAND CAULKING GUN

Robust handgun



Part No. 34894 – gun for cartridges

AIR CAULKING GUN

Air pressure gun



Part No. 83601 – gun for sausages

SAUSAGE GUN

Air pressure gun for sausages up to 600 ml



High quality products for a safe work!



RESCUE TAPE
Premium first aid cotton tape for protecting injuries

Part No. 86661 – 1 unit (25 mm x 4.5 m roll),
Part No. 86682 – 6 units (25 mm x 4.5 m roll)



MECHANICS GLOVES
Provides protection whilst undertaking mechanical maintenance duties

Part No. V2234 – V2240
(different sizes available)



BLUE NITRILE GLOVES
High quality disposable single use blue nitrile gloves

Part No. V2173 – Superglove Finite
Part No. V1390 – Blue Nitrile Gloves

The first choice for comfort and protection against chemicals: **Three Layer Glove** – an innovative very thin and highly protective chemical glove for one-time use and for any kind of application like painting, polishing, cleaning etc.



Part No. 86677 M, 86678 L, 86679 XL

THREE LAYER GLOVE

Premium single-wear glove for maximum protection against chemicals including acids, solvents and alkalis

BENEFITS

- ✓ Thin wall construction and textured fingertips – provides higher tactile sensitivity and grip
- ✓ Extra soft material and anatomical fit – outstanding wearing comfort, high flexibility and longer lifespan
- ✓ Low AQL-value for pinholes (0.65) and extended cuff – reliable protection
- ✓ Officially EN ISO 374 and KOSHA certified
- ✓ Powderfree – body shop safe



MASKS
Special masks to ensure protection from breathing air contamination

Part No. V1228 – Gas Vapour Respirator
Part No. V1229 – Gas Mask Filter (10)
Part No. V1226 – Dust Mask (standard)
Part No. V1227 – Dust Mask (fine)



EAR PLUGS
Ideal to protect against intermittent noise

Part No. V1216 – Ear Plugs (20 pairs)
Part No. V1217 – Ear Defender (2 pairs)



SAFETY GOGGLES
Special safety glasses to protect eyes from paint and/or other substances

Part No. V1218 – Goggles (standard)
Part No. V1225 – Goggles (panorama)

Application	Product	Part No.	Page
Bonding & Sealing	Rotabond 2000	34452, 34453, 34454, 86526, 86527, 85465	5
	Assembly Adhesive	84501, 84502, 84535	6
	Deck Caulk	86285, 86451	
	Sili Gasket 2	34337, 34339, 84179	
	Rapid Bond & Rapid Bond Black	85042, 85043, 86567	7
	Rotabond 2K	86656, 85249	
	Primer Dc	86532	
Adhesive Tapes	Xtreme Force Tape	86665	9
	High Strength Tape Clear	86578	
	High Strength Tape	34000	
	Multi Tape EVO	86680	
	Waterproof Tape	84592, 86144	
	Multi Seal Tape	86386	
Threadlocking	Nutlock	86539	11
	Studlock	86540	
	Powerlock	86541	
	Prelock	86542	
	Pipe Seal	86543	
	All In One	86544	
	Rapid Gasket	86553	
Exterior Cleaning	Teak Deck Cleaner	84303	13
	Teak Deck Restorer	85305	
	Soft Surface Cleaner	86485, 86613	
	Panel Degreaser	86213, 86214	
Interior Cleaning	New All Purpose Foam Cleaner	84909, 85964	15
	Multi Cleaner	86260, 80261	
	Rotaclean	34221, 34222	
Additives	Fuel Guard 2	83970, 83975, 83977	17
	Diesel Anti-Wax 2	86594, 86595	18
	Fleet Treat 950	86100, 86101	19
	Engine Flush	86119	21
	Radiator Flush	84667	

Application	Product	Part No.	Page
Lubricants	Blue Grease	34946, 34949, 34961, 34962	23
	Rusty Penetrant	83726	
Special Primers	Ultrafill 3	86801, 86802, 86803	24
	Construction Primer	86183	25
	Epoxy Primer	86375	
	Weldprime	50190	
Special Repairs	Certanium	Many products and sizes available – ask us	26
	Anti Spatter Spray	85840	27
	Heat Shield Gel	84145	
	Flow Form & Flow Form Clear	Many products and sizes available – ask us	
Tools	Aero Grip	86690	29
	Pro Joint Liner	86609	
	Battery Caulking Gun	86366	
	Ratchet Hand Gun	83538	
	Manual Gun	86697	
	Hand Caulking Gun	34775	
	Air Caulking Gun	34894	
	Sausage Gun	83601	
Health & Safety	Three Layer Glove	86677, 86678, 86679	30
	Rescue Tape	86661, 86682	31
	Mechanics Gloves	V2234	
	Blue Nitrile Gloves	V2173, V1390	
	Masks	V1228, V1229, V1226, V1227	
	Ear Plugs	V1216, V1217	
Safety Goggles	V1218, V1225		



ORDER NOW!

If you have any questions or if you would like to place an order,
contact your **KENT Area Sales Manager**
by telephone: **0800 / 136 925**, or email: **kentsales.uk@kenteurope.com**

KENT (United Kingdom) Ltd., Forsyth House, Pitreavie Drive, Pitreavie Business Park, Dunfermline, Fife, KY11 8US
www.kenteurope.com